



Patton State Hospital Key Indicators through April 2010




Patton State Hospital Key Indicators through April 2010

Aggressive acts to self




Patton State Hospital Key Indicators through April 2010

Aggressive acts to others




Aggressive acts to others




Patton State Hospital Key Indicators through April 2010

Repeated aggressive acts to others




Patton State Hospital Key Indicators through April 2010

Individuals having alleged abuse, neglect or exploitation if minor or major injury has occurred




Patton State Hospital Key Indicators through April 2010

Body mass index




Patton State Hospital Key Indicators through April 2010

Individuals with body mass index greater than 25 (overweight to obese)




Patton State Hospital Key Indicators through April 2010

Body mass index change




Patton State Hospital Key Indicators through April 2010

Weight change




Patton State Hospital Key Indicators through April 2010

Waist circumference, females




Patton State Hospital Key Indicators through April 2010

Waist circumference, males




Patton State Hospital Key Indicators through April 2010

Combined pharmacotherapy




Patton State Hospital Key Indicators through April 2010

Electroconvulsive treatment




Patton State Hospital Key Indicators through April 2010




Patton State Hospital Key Indicators through April 2010

Falls




Patton State Hospital Key Indicators through April 2010

Homicide




**Incidents of individuals testing positive for
illicit substance use**




Patton State Hospital Key Indicators through April 2010

Medication variance




Medication variance




Patton State Hospital Key Indicators through April 2010

Medication variance




Patton State Hospital Key Indicators through April 2010


Medication variance




Patton State Hospital Key Indicators through April 2010



Patton State Hospital Key Indicators through April 2010




**Non-adherence to WRP for more than 20% of interventions
in seven consecutive days**




Patton State Hospital Key Indicators through April 2010

Close observation




Patton State Hospital Key Indicators through April 2010

Aspiration pneumonia




Individuals with occurrences of fecal impaction or bowel obstruction




Patton State Hospital Key Indicators through April 2010

Diabetes




Patton State Hospital Key Indicators through April 2010


Diabetes



Patton State Hospital Key Indicators through April 2010




Dysphagia




Patton State Hospital Key Indicators through April 2010

Fractures




Hepatitis C




Patton State Hospital Key Indicators through April 2010

Hospitalization




Patton State Hospital Key Indicators through April 2010


MRSA



Osteoporosis




Polydipsia




Patton State Hospital Key Indicators through April 2010

Seizure disorder




Patton State Hospital Key Indicators through April 2010

Seizure disorder




Individuals receiving older anticonvulsants




Patton State Hospital Key Indicators through April 2010

Skin integrity




Patton State Hospital Key Indicators through April 2010

PRN medications




Patton State Hospital Key Indicators through April 2010

Restraint




Patton State Hospital Key Indicators through April 2010

Seclusion



Patton State Hospital Key Indicators through April 2010

Stat medications



Patton State Hospital Key Indicators through April 2010

Suicide

